

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/661,755	09/12/2003	Jeong J. Ma	MOT-CS22547RL 8148	
35813	7590 01/28/2005	EXAMINER		INER
DESIGN IP-DEPT. MOT 5000 W. TILGHMAN STREET			CHIANG, JACK	
SUITE 153			ART UNIT	PAPER NUMBER
ALLENTOWN, PA 18104			2642	
			DATE MAILED: 01/28/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/661,755	MA, JEONG J.			
Office Action Summary	Examiner	Art Unit			
	Jack Chiang	2642			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timy within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 12 Se	eptember 2003.				
,—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4) ⊠ Claim(s) <u>1-23</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-23</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the Education of the Education of the drawing of the d	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Application/Control Number: 10/661,755 Page 2

Art Unit: 2642

## **CLAIMS**

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-2, 4-7, 10-16, 19, 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Bodley et al. (US 2002/0021800).

Regarding claim 1, Bodley shows:

An ear mount (6);

A communication base unit (1-2);

A hinge unit (3-5, 23) that pivotally connects the communication base unit (1-2) to the ear mount (6) and allows the ear mount to be rotated between an open position (figs. 3, 7, 9) and a closed position (fig. 10);

A sensor (102) that activates the communication base unit when the ear mount is rotated into the open position (figs. 3, 7, 9) and deactivates the communication base unit when the ear mount is rotated into the closed position (fig. 10).

Regarding claim 11, Bodley shows:

An ear mount (6);

Application/Control Number: 10/661,755

Art Unit: 2642

A base housing (1-2);

A circuit carried on the housing (1-2) and including at least one of a transmitter and a receiver (19, behind 8);

A hinge unit (3-5, 23) that pivotally connects the communication base unit (1-2) to the ear mount (6) and allows the ear mount to be rotated between an open position (figs. 3, 7, 9) and a closed position (fig. 10);

A switch (102) carried in the base housing (1-2), the switch responsive to the open and closed positions (figs. 9-10) of the ear mount (6), the switch (102) automatically controlling the activation and deactivation of the circuit (i.e. 19), the circuit (i.e. 19) automatically responsive to the ear mount being in the open position (fig. 9) to power on the circuit and in the closed position (fig. 10) to at least temporarily power down the circuit.

Regarding claim 21, Bodley shows:

An ear mount (6);

A base (1-2) carrying a circuit (inside 1-2, i.e. 19) for short range communication with a device (cell phone);

A switch (102);

The steps of:

Turning the circuit off in response to the ear mount moving to a closed position (fig. 10); Turning the circuit on when the ear mount moves to an open position with a portion of the ear mount spaced from the base (fig. 9).

Application/Control Number: 10/661,755 Page 4

Art Unit: 2642

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 20, 3, 8-9, 17-18, 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bodley.

Regarding claim 20, 3, 8-9, 17-18, 22-23, Bodley shows:

An ear mount (6);

A communication base unit (1-2) having an earphone (behind 8) and a microphone (19); A hinge unit (3-5, 23) that pivotally connects the communication base unit (1-2) to the ear mount (6) and allows the ear mount to be rotated between an open position (figs. 3, 7, 9) and a closed position (fig. 10), a hinge spring and a hinge spring socket (see spring and socket in fig. 21), and a plunger (i.e. 204);

A detent mechanism (see 144,146, 148, 150) which holds the ear mount (6) between at least 20°-40° away from the base (1-2) (see fig. 7);

A detent mechanism (see 144, 146, 148, 150) comprising first and second plungers having complimentary v-shaped contours (see 144-146, 148-150);

A switch (102) that activates the communication base unit when the ear mount is rotated into the open position (figs. 3, 7, 9) and deactivates the communication base

Art Unit: 2642

unit when the ear mount is rotated into the closed position (fig. 10), and a detect pin (see pin in 102).

Bodley differs from the claimed invention in that the hinge spring and its socket are fixed in the base instead of the ear mount, therefore, the detect pin is not contacted the ear mount.

However, in Bodley, the ear mount (6) is rotatably (23, 3-5) mounted on the base unit (1-2). The majority parts of the hinge unit (i.e. 3-5) are housed in the base unit. In hinge design, it is common that the hinge parts can be shifted from one hinged part to another hinged part, and it would not affect the hinging operation because it is simply shifting the parts from one location to another.

Therefore, it would have been obvious for one of ordinary skill in the art to shift the hinge parts to the ear mount, in doing so, the ear mount would contact the detect pin because it is a part of the hinge. This variation can be considered as shifting location of parts and therefore would have been obvious for one of ordinary skill in the art, and in this case, it is shifting the hinge parts from the base unit to the ear mount, see In re Japikse 86, USPQ 70, CCPA 1950.

Regarding claims 2, 4-7, 9-10, 12-16, 18-19, Bodley shows:

The communication base unit (1-2) having an earphone (behind 8) and a microphone (19);

The sensor/switch and a detect pin (see area of 102 in fig. 26);

Application/Control Number: 10/661,755

Art Unit: 2642

A detent mechanism (see 144, 146, 148, 150) which holds the ear mount (6) between at least 20°-40° away from the base (1-2) (see fig. 7);

Page 6

The detent mechanism (see 144, 146, 148, 150) comprising an elastomeric plunger located in a first bore having a female and male v-shaped contours (see 144-146, 148-150), and second plunger in a second bore (with 124 in fig. 13).

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jack Chiang whose telephone number is 703-305-4728. The examiner can normally be reached on Mon.-Fri. from 8:00 to 6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ahmad Matar, can be reached on 703-305-4731. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

fimary Examiner